


ABUTMENT DATA								
	REINFORCED CONCRETE BOX BEAMS			PRETENSIONED PRESTRESSED CONCRETE BOX BEAMS				
SPAN	30'-0	40'-0	50'-0	30'-0	40'-0	50'-0	60'-0	70'-0
"X" (FT IN.)	2'-43	2'-43	2'-104	1'-104	1'-103	2'-44	2'-43	2'-103
"A" PILE SPACES	5	5	6	5	5	6	7	7
"B" (FT IN.)	7′-0	7′-0	5′-10	7′-0	7′-0	5′-10	5′-0	5′-0
"D" EQUAL SPACES	5	5	4	5	5	4	3	3
"F" EQUAL SPACES	8	8	7	8	8	7	6	6
NO. OF HPIO×57 PILES PER ABUT.	6	6	7	6	6	7	8	8
Pu, STRENGTH I DESIGN LOAD (KIPS)	117	136	137	114	132	132	128	144

NOTE:

PU, STRENGTH I DESIGN LOAD (KIPS) IS NOT THE VALUE USED IN THE FIELD FOR DRIVING PILES.



SECTION A-A

- NOIES:

 1½** SMOOTH DOWELS (A36), DRILL A 1½** HOLE 12* DEEP INTO
 ABUTMENT AFTER BEAMS ARE IN PLACE USE LOW IMPACT ROTARY DRILL.
 PRIOR TO SETTING DOWEL, FILL HOLE TO A DEPTH OF 4* WITH A POLYMER
 GROUT SYSTEM IN ACCORDANCE WITH THE STANDARD SPECIFICATIONS. PLACE $2^{\#}\dot{\varphi}$ x I'' THICK POLYSTYRENE PLUG ON TOP OF DOWEL, FILL REMAINDER OF HOLE ABOVE PLUG WITH NON-SHRINK GROUT.
- * THIS DIMENSION MAY VARY, TILTING OF THE BACKWALL DURING CONSTRUCTION MAY BE NECESSARY TO ACCOMMODATE BEAM CAMBER AND
- A FOR CAST-IN-PLACE ABUTMENT BACKWALLS, CAST BACKWALL CONCRETE DIRECTLY AGAINST ENDS OF CONCRETE BOXES.
- IN LIEU OF MECHANICAL COUPLERS, 6dI AND 6d2 MAY BE COMBINED INTO ONE BAR EXTENDING FROM THE FOOTING INTO THE BACKWALL.

