
THESE PIER BENTS ARE DESIGNED FOR USE IN LOCATIONS WHERE ICE AND DRIFT CONDITIONS ARE NOT SEVERE.

FOR DETAILS OF TRESTLE PILES, TYPES 1, 2 AND 3, SEE STANDARD PIOL.

MINIMUM CLEAR DISTANCE FROM FACE OF CONCRETE TO NEAR REINFORCING BAR SHALL BE 2 INCHES UNLESS OTHERWISE NOTED OR SHOWN.

PIER PILES SHALL BE DRIVEN TO VALUES SHOWN IN DESIGN PLANS.



PILE ORIENTATION DETAIL FOR TYPE 3 TRESTLE BENT PILES

REINFORCING BAR LIST AND ESTIMATED QUANTITIES - PER PILE BENT

				10	PILE	BENT	12	PILE	BENT	14	PILE	BENT	16	PILE	BENT	18	PILE	BENT
BAR	LENGTH		SHAPE	NO.	SIZE	WEIGHT	NO.	SIZE	WEIGHT	NO.	SIZE	WEIGHT	NO.	SIZE	WEIGHT	NO.	SIZE	WEIGH
al	47'-2			8	9	1283	8	9	1283	6	9	962	6	9	962	6	9	962
a 2	47'-2			4	8	504	4	8	504	4	8	504	4	8	504	4	8	504
ы	47'-2			4	9	641	4	9	641	4	9	641	4	9	641	4	9	641
5cl	11'-8			47	5	572	57	5	694	67	5	815	62	5	754	53	5	645
8el	8'-1			4	8	86	4	8	86	4	8	86	4	8	86	4	8	86
REIN	REINFORCING STEEL (LB.)			3086		3208		3008		2947		2838						
	STRUCTURAL 2		PILE TYPE															
			1,2			16.5		16.4		16.3		16.2						
CONCRETE (CY)		3	17.0		17.0		17.0		17.0		17.0							

BENT BAR DETAILS



NOTE: ALL DIMENSIONS ARE

			001	TO OUT DEFIN DIAMET	ER.					
	FRICTION	BEAR	ING PILING	FRICTION OR	POINT	BEARING PILING				
&-& ABUTMENT	PIOL	TYPE I O	R 2	PIOL TYPE 3						
BEARING	NUMBER OF TRESTLE PILES	3 _{"K"} (INCHES)	3 LRFD Pu, STRENGTH I, DES.LOAD (KIPS)	NUMBER OF TRESTLE PILES	PILE SIZE	3 LRFD Pu, STRENGTH I, DES.LOAD (KIPS)				
1001.0	14	14	86	10	HP10x57	121				
160′-0	12	16	101	10	HP12×53	121				
180′-0	14	14	94	10	HP10x57	132				
180'-0	14	16	94	10	HP12×53	132				
200′-0	16	14	89	10	HP10x57	143				
200-0	14	16	102	12	HP12×53	119				
220′-0				12	HP10x57	130				
220 -0				12	HP12x53	130				
240′-0			-	12	HP10x57	142				
240 -0				14	HP12x53	122				
260'-0				14	HP10x57	132				
260 -0				14	HP12×53	132				
280'-0				14	HP10x57	142				
200 -0	_	_	_	16	HP12×53	124				
300′-0				16	HP10x57	133				
300 -0	_	_	_	16	HP12×53	133				
320′-0				16	HP10x57	142				
320 -0	_	_	-	18	HP12×53	126				
340′-0				18	HP10x57	133				
3400				18	HP12x53	133				

- () SEE SHEET RS40-168-10 FOR STEP REINFORCING STEEL QUANTITIES AND DETAILS.
- ${}^{\circ}$ concrete quantities shown have had the volume of embedded piles deducted for types 1 and 2 based on 0.8 ft 3 per foot of embedment, the concrete quantities for type 3 piles do not require reduction for pile embedment.
- (3) SEE STANDARD PIOL FOR "K" DIMENSION.
- 4 NOTE: PU, STRENGTH I DESIGN LOAD (KIPS) IS NOT THE VALUE USED IN THE FIELD FOR DRIVING PILES.

IOWA Department of Transportation
Highway Division
STANDARD DESIGN - 40' ROADWAY, 3 SPAN BRIDGES
ROLLED STEEL BEAM BRIDGES
JUNE, 2010

PILE BENT PIERS
30° SKEW
RS40-109-10

NOTE: FRICTION BEARING INCLUDES SIDE FRICTION AND END BEARING IN SOIL. POINT BEARING INCLUDES SIDE FRICTION AND POINT BEARING IN ROCK.

SED 05-13 - REVISION FOR LRFD PILE DESIGN.