




NPY4 NO PASSING ZONE LINE (Yellow)



DCY4 DOUBLE CENTERLINE (Yellow)



BCY4 BROKEN CENTERLINE (Yellow)




Lane layouts shown are typical.


Centerlines and lane lines may be painted either side of centerline.

Drawings on sheets 1, 2 and 3 are oriented to represent direction of traffic moving from left to right.


BLW4 BROKEN LANE LINE (White)




SLW4 SOLID LANE LINE (White)




RLY4 RAMP EDGE LINE LEFT (Yellow)




ELW4 EDGE LINE RIGHT (White)



ELY4 EDGE LINE LEFT (Yellow)




RLW4 RAMP EDGE LINE RIGHT (White)




Possible Contract Item:
Pavement Marking Line Items

Possible Tabulation:
108-22


DLY4 DOTTED LINE (Yellow)
















DDY4 DOUBLE DOTTED LINE (Yellow)














DLW4 DOTTED LINE (White)



 IOWA DOT	REVISION	
	4	04-16-24
	PM-110	
	SHEET 1 of 4	
STANDARD ROAD PLAN		
REVISIONS: Added BCY6, BLC6, BLW6, CHW10, CHY10, DCY6, DDY6, DLW6, DLY6, ELY6, LDW10, NPY6, RLW6, RLY6, SLW6. Changed MNY4 to MNY6		
		
APPROVED BY DESIGN METHODS ENGINEER		



 STANDARD ROAD PLAN	REVISION	
	4	04-16-24
	PM-110	
	SHEET 2 of 4	
REVISIONS: Added BCY6, BLC6, BLW6, CHW10, CHY10, DCY6, DDY6, DLW6, DLY6, ELY6, LDW10, NPY6, RLW6, RLY6, SLW6. Changed MNY4 to MNY6		
 APPROVED BY DESIGN METHODS ENGINEER		
LINE TYPES		





STANDARD ROAD PLAN

REVISION

4	04-16-24
---	----------

PM-110

SHEET 3 of 4

REVISIONS:


Added BCY6, BLC6, BLW6, CHW10, CHY10, DCY6, DDY6, DLW6, DLY6, ELY6, LDW10, NPY6, RLY6, SLW6. Changed MNY4 to MNY6

Shant Miller


APPROVED BY DESIGN METHODS ENGINEER

LINE TYPES


SPW4 SLOPED CURB 4" (White)



SPW6 SLOPED CURB 6" (White)




STW6 STANDARD CURB 6" (White)




1 Apply paint from back of curb to gutter line.


SPY4 SLOPED CURB 4" (Yellow)




SPY6 SLOPED CURB 6" (Yellow)



STY6 STANDARD CURB 6" (Yellow)



MNY6 MEDIAN NOSE (Yellow)



	REVISION	
	4	04-16-24
	PM-110	
	SHEET 4 of 4	
REVISIONS: Added BCY6, BLC6, BLW6, CHW10, CHY10, DCY6, DDY6, DLW6, DLY6, ELY6, LDW10, NPY6, RLW6, RLY6, SLW6. Changed MNY4 to MNY6		
		
APPROVED BY DESIGN METHODS ENGINEER		
LINE TYPES		